

From New California

Californian Borages collected by Alexander & Kellogg in 1941

(sent the Arnold Arboretum for I.M. Johnston), det. I.M. Johnston May 1942

- 1992 *Coldenia plicata* (Torr.) Cov.
2140 *Coldenia canescens* DC.
1916 *Coldenia canescens* var. *pulchella* Jtn.
1950 " " "
2247 *Coldenia Palmeri* Gray
2503 *Cryptantha Hoffmannii* Jtn. type-locality
2316 *Cryptantha virginensis* (Jones) Payson
2515 *Cryptantha flavoculata* (Nels.) Payson
2435 " " "
2547 *Cryptantha confertiflora* (Greene) Payson
2315 " " "
2036 *Pectocarya setosa* Gray
1948 *Amsinckia echinata* Gray
2259 *Heliotropium convolvulaceum* (Nutt.) Gray, var. *californicum* (Greene) Jtn.
2090 *Cryptantha pterocarya* (Torr.) Greene, var. *typica*
2137 " " "
2136 *Cryptantha utahensis* (Gray) Greene
1940 *Cryptantha racemosa* (Wats.) Greene
1978 " " "
2203 " " "
2097 *Cryptantha dumetorum* Greene
1902 *Cryptantha angustifolia* (Torr.) Greene
1903 " " "
1901 *Cryptantha maritima* Greene
2093 *Cryptantha barbigera* (Gray) Greene
1969 " " "
1994 " " "
2008 " " "
2425 *Lappula Redowskii* (Hornem.) Greene

Crum & Carter Aug. 23, 1941 (sub *Muhlenbeckia hastulata*)

Muhlenbeckia sagettifolia Meissn.

This is an Argentine and Brazilian species and is not the Chilean *M. hastulata* which has thicker shorter leaves and a shrubby not long-branching and vining habit